

List of Contents

NUMBER 1

- | | | |
|--|----|--|
| Giuseppe Bruno, Michel Gendreau and Gilbert Laporte | 1 | A heuristic for the location of a rapid transit line |
| Tore Grünert, Stefan Irnich, H.-J. Zimmermann, Markus Schneider and Burkhard Wulfhorst | 13 | Finding all k -cliques in k -partite graphs, an application in textile engineering |
| I-Ming Chao | 33 | A tabu search method for the truck and trailer routing problem |
| Elham Ghashghai and Ronald L. Rardin | 53 | Using a hybrid of exact and genetic algorithms to design survivable networks |
| S. Salhi | 67 | Defining tabu list size and aspiration criterion within tabu search methods |
| M.M. Ali, A. Törn and S. Viitanen | 87 | A direct search variant of the simulated annealing algorithm for optimization involving continuous variables |

NUMBER 2

- | | | |
|--|-----|---|
| Ming-Guang Huang, Pao-Long Chang and Y.-C. Chou | 103 | Buffer allocation in flow-shop-type production systems with general arrival and service patterns |
| Jatinder N.D. Gupta, Karsten Hennig and Frank Werner | 123 | Local search heuristics for two-stage flow shop problems with secondary criterion |
| K. Steinhöfel, A. Albrecht and C.K. Wong | 151 | Fast parallel heuristics for the job shop scheduling problem |
| Yongwon Seo, Sungwon Jung and Juho Hahm | 171 | Optimal reorder decision utilizing centralized stock information in a two-echelon distribution system |
| Hsing Luh and Ray Tsaih | 195 | An efficient search direction for linear programming problems |

NUMBER 3

- | | | |
|--|-----|---|
| Norman D. Curet, Jason DeVinney and Matthew E. Gaston | 205 | An efficient network flow code for finding all minimum cost s - t cutsets |
| Gue-woong Jeong, Kyungsik Lee, Sungsoo Park and Kyungchul Park | 221 | A branch-and-price algorithm for the Steiner tree packing problem |
| Christos Valouxis and Efthymios Housos | 243 | Combined bus and driver scheduling |
| Richard Y.K. Fung, Jiafu Tang and Dingwei Wang | 261 | Extension of a hybrid Genetic Algorithm for nonlinear programming problems with equality and inequality constraints |
| Chang Sup Sung and Young Hwan Kim | 275 | Minimizing makespan in a two-machine flowshop with dynamic arrivals allowed |

**Amir H. Abdekhodae and
Andrew Wirth**

- 295 Scheduling parallel machines with a single server: some solvable cases and heuristics

NUMBER 4

**Tongryeol Seol and
Soondal Park**

- 317 Solving linear systems in interior-point methods

Indranil Bose and Raktim Pal

- 327 Average waiting time of customers in a priority M/D/k queue with finite buffers

S. Yan, T.-T. Tung and Y.-P. Tu

- 341 Optimal construction of airline individual crew pairings

**Roberto Baldacci, Eleni
Hadjiconstantinou, Vittorio
Maniezzo and Aristide
Mingozi**

- 365 A new method for solving capacitated location problems based on a set partitioning approach

**Mohamed A. Ahmed and
Talal M. Alkhamis**

- 387 Simulation-based optimization using simulated annealing with ranking and selection

**K. Rajashree Kamath and
T.P.M. Pakkala**

- 03 A Bayesian approach to a dynamic inventory model under an unknown demand distribution

NUMBER 5

Lawrence M. Leemis

- 423 Computing the nonparametric estimator of the survivor function when all observations are either left- or right-censored with tied observation times

So Young Sohn

- 433 Robust design of server capability in M/M/1 queues with both partly random arrival and service rates

**Francis J. Vasko, Robert
S. Barbieri, Brian Q. Rieksts,
Kenneth L. Reitmeyer and
Kenneth L. Stott**

- 441 The cable trench problem: combining the shortest path and minimum spanning tree problems

**Moshe Eben-Chaime,
Abraham Mehrez and
Gad Markovich**

- 459 Capacitated location-allocation problems on a line

**Liang-Yuh Ouyang and
Jing-Shing Yao**

- 471 A minimax distribution free procedure for mixed inventory model involving variable lead time with fuzzy demand

**Yi-Kuang Chen, Shih-Wei
Lin and Shuo-Yan Chou**

- 489 An efficient two-staged approach for generating block layouts

**Kurt M. Bretthauer and
Bala Shetty**

- 505 A pegging algorithm for the nonlinear resource allocation problem

**Jeffery K. Cochran and
Theodore P. Lewis**

- 529 Computing small-fleet aircraft availabilities including redundancy and spares

NUMBER 6

Richard L. Church

- 541 Geographical information systems and location science

**Oded Berman and
Dmitry Krass**

- 563 The generalized maximal covering location problem

Vedat Verter

- 583 An integrated model for facility location and technology acquisition

- | | | |
|--|-----|---|
| Nicoletta Ricciardi, Roberto Tadei and Andrea Grosso | 593 | Optimal facility location with random throughput costs |
| J. Fernández, P. Fernández and B. Pelegrin | 609 | Estimating actual distances by norm functions: a comparison between the $l_{k,p,\theta}$ -norm and the $l_{b_1,b_2,\theta}$ -norm and a study about the selection of the data set |
| J. Brimberg and G.O. Wesolowsky | 625 | Locating facilities by minimax relative to closest points of demand areas |
| Zvi Drezner, Stefan Steiner and George O. Wesolowsky | 637 | On the circle closest to a set of points |
| Luce Brotcorne, Gilbert Laporte and Frédéric Semet | 651 | Fast heuristics for large scale covering-location problems |
| Steven J. D'Amico, Shou-Jiun Wang, Rajan Batta and Christopher M. Rump | 667 | A simulated annealing approach to police district design |
| Shou-Jiun Wang, Joyendu Bhadury and Rakesh Nagi | 685 | Supply facility and input/output point locations in the presence of barriers |
| Rex K. Kincaid and Sharon L. Padula | 701 | D-optimal designs for sensor and actuator locations |
| Gabriela Mayer and Bernd Wagner | 715 | HubLocator: an exact solution method for the multiple allocation hub location problem |
| Gilbert Laporte, Juan A. Mesa and Francisco A. Ortega | 741 | Locating stations on rapid transit lines |
| Jorge H. Jaramillo, Joy Bhadury and Rajan Batta | 761 | On the use of genetic algorithms to solve location problems |

NUMBER 7

- | | | |
|--|-----|--|
| Zhi-Long Chen, Shanling Li and Devanath Tirupati | 781 | A scenario-based stochastic programming approach for technology and capacity planning |
| Lionel Dupont and Clarisse Dhaenens-Flipo | 807 | Minimizing the makespan on a batch machine with non-identical job sizes: an exact procedure |
| Krzysztof Fleszar and Khalil S. Hindi | 821 | New heuristics for one-dimensional bin-packing |
| Kunihiko Hiraishi, Eugene Levner and Milan Vlach | 841 | Scheduling of parallel identical machines to maximize the weighted number of just-in-time jobs |
| Chat Srivaree-ratana, Abdullah Konak and Alice E. Smith | 849 | Estimation of all-terminal network reliability using an artificial neural network |
| Jason Chao-Hsien Pan, J.-S. Chen and C.-M. Chao | 869 | Minimizing tardiness in a two-machine flow-shop |
| Angel Corberán, Rafael Martí, Eulalia Martínez and David Soler | 887 | The Rural Postman Problem on mixed graphs with turn penalties |
| Chu-Fu Wang, Chun-Teng Liang and Rong-Hong Jan | 905 | Heuristic algorithms for packing of multiple-group multicasting |
| Ram Alvarez-Valdés, Antonio Parajón and Jos Tamarit | 925 | A tabu search algorithm for large-scale guillotine (un)-constrained two-dimensional cutting problems |

NUMBER 8

- | | |
|---|---|
| <p>Bruce Curry, Peter Morgan and Mick Silver</p> <p>Ali Allahverdi and Fawaz S. Al-Anzi</p> <p>C.S. Sung, Y.I. Choung, J.M. Hong and Y.H. Kim</p> <p>Youngshin Park, Sooyoung Kim and Chi-Hyuck Jun</p> <p>J.S. Finan and W.J. Hurley</p> <p>Clark D. Jeffries</p> <p>Gordian Schilling and Michael C. Georgiadis</p> <p>M. Selim Akturk and Siraceddin Onen</p> <p>Herbert F. Lewis and Susan A. Slotnick</p> <p>Sung A Cho, Chae-Bogk Kim and Dong Hoon Lee</p> | <p>951 Neural networks and non-linear statistical methods: an application to the modelling of price-quality relationships</p> <p>971 Using two-machine flowshop with maximum lateness objective to model multimedia data objects scheduling problem for WWW applications</p> <p>995 Minimizing makespan on a single burn-in oven with job families and dynamic job arrivals</p> <p>1009 Mean value analysis of re-entrant line with batch machines and multi-class jobs</p> <p>1025 The analytic hierarchy process: can wash criteria be ignored?</p> <p>1031 Design rules for application specific dynamical systems</p> <p>1041 An algorithm for the determination of optimal cutting patterns</p> <p>1059 Dynamic lot sizing and tool management in automated manufacturing systems</p> <p>1081 Multi-period job selection: planning work loads to maximize profit</p> <p>1099 Single machine MAD/T_{\max} problem with a common due date</p> |
|---|---|

NUMBER 9

- | | |
|---|---|
| <p>F.J. Arcelus, T.P.M. Pakkala and G. Srinivasan</p> <p>Jacques Renaud, Fayez F. Boctor and Gilbert Laporte</p> <p>Eugene J. Zak</p> <p>Chae Y. Lee and Hee K. Cho</p> <p>Siddhartha S. Syam</p> <p>Konstantin Kogan and Sheldon X.C. Lou</p> <p>Miro Gradišar, Gortan Resinovič and Miroljub Kljajić</p> <p>Mauricio Solar, V Parada and Rodrigo Urrutia</p> <p>Jaques Reifman and Earl E. Feldman</p> <p>Ching-Fang Liaw, C.-Y. Cheng and Mingchih Chen</p> <p>Kyung Sang Lee, Kyung Sam Park and Soung Hie Kim</p> | <p>1115 A myopic policy for the gradual obsolescence problem with price-dependent demand</p> <p>1129 Perturbation heuristics for the pickup and delivery traveling salesman problem</p> <p>1143 Row and column generation technique for a multistage cutting stock problem</p> <p>1157 Port partitioning and dynamic queueing for IP forwarding</p> <p>1173 A model and methodologies for the location problem with logistical components</p> <p>1195 Scheduling one-part-type serial manufacturing system under periodic demand: a solvable case</p> <p>1207 Evaluation of algorithms for one-dimensional cutting</p> <p>1221 A parallel genetic algorithm to solve the set-covering problem</p> <p>1237 Multilayer perceptron for nonlinear programming</p> <p>1251 The total completion time open shop scheduling problem with a given sequence of jobs on one machine</p> <p>1267 Dominance, potential optimality, imprecise information, and hierarchical structure in multi-criteria analysis</p> <p>1283 Call for Papers</p> |
|---|---|

NUMBER 10

- | | | |
|---|------|---|
| William G. Ferrell Jr. and
Aman Chhoker | 1283 | Design of economically optimal acceptance sampling plans with inspection error |
| S.-H. Yoon and Jose A.
Ventura | 1301 | Minimizing the mean weighted absolute deviation from due dates in lot-streaming flow shop scheduling |
| K.E. Rosing and M. John
Hodgson | 1317 | Heuristic concentration for the p -median: an example demonstrating how and why it works |
| U.C. Gupta and V. Goswami | 1331 | Performance analysis of finite buffer discrete-time queue with bulk service |
| Giuseppe Paletta | 1343 | The period traveling salesman problem: a new heuristic algorithm |
| Marcos Escobar, Amedeo
R. Odoni and Emily Roth | 1353 | Approximate solution for multi-server queueing systems with Erlangian service times |
| Anito Joseph | 1375 | A concurrent processing framework for the set partitioning problem |
| Tai-Hsi Wu, Chinyao Low
and J.-W. Bai | 1393 | Heuristic solutions to multi-depot location-routing problems |
| Jatinder N.D. Gupta, Karin
Krüger, Volker Lauff, Frank
Werner and Yuri N. Sotskov | 1417 | Heuristics for hybrid flow shops with controllable processing times and assignable due dates |
| Short Communication | | |
| Edward Yu-Hsien Lin and
Dennis L. Bricker | 1441 | Connecting special ordered inequalities and transformation and reformulation technique in multiple choice programming |

NUMBER 11

- | | | |
|--|------|--|
| Jiafu Tang, Richard Y.K. Fung,
Baodong Xu and Dingwei
Wang | 1447 | A new approach to quality function deployment planning with financial consideration |
| Joseph Kreimer | 1465 | Real-time system with homogeneous servers and nonidentical channels in steady-state |
| R.J. Kuo, L.M. Ho and
C.M. Hu | 1475 | Integration of self-organizing feature map and K -means algorithm for market segmentation |
| Jing-Shing Yao and
Teng-San Shih | 1495 | Fuzzy revenue for fuzzy demand quantity based on interval-valued fuzzy sets |
| R. Caballero, T. Gómez,
M. Luque, F. Miguel and
F. Ruiz | 1537 | Hierarchical generation of Pareto optimal solutions in large-scale multiobjective systems |
| Shangyao Yan and
Chich-Hwang Tseng | 1559 | A passenger demand model for airline flight scheduling and fleet routing |
| Amy Hing Ling Lau
and H.-S. Lau | 1583 | The effects of reducing demand uncertainty in a manufacturer-retailer channel for single-period products |
| S. Raff | 1603 | Editorial |
| Din-Horng Yeh | 1605 | A note on "a simple heuristic for maximizing service of carousel storage" |
| Elkafi Hassini | 1609 | Comments on a note by Jacobs, Peck and Davis |

NUMBER 12

- | | | |
|--|------|--|
| A. Krishnamoorthy and
T.G. Deepak | 1611 | Modified N -policy for $M/G/1$ queues |
| Cheng-Shuo Wang and Reha
Uzsoy | 1621 | A genetic algorithm to minimize maximum lateness on a batch processing machine |
| Ko-Hsin Liang, Xin Yao,
Charles Newton and David
Hoffman | 1641 | A new evolutionary approach to cutting stock problems with and without contiguity |
| Yong Kyoon Lee, Kyung Sam
Park and Soung Hie Kim | 1661 | Identification of inefficiencies in an additive model based IDEA (imprecise data envelopment analysis) |
| Salvador Nieto Sanchez,
Evangelos Triantaphyllou,
Jianhua Chen and
T. Warren Liao | 1677 | An incremental learning algorithm for constructing Boolean functions from positive and negative examples |
| Liang-Yuh Ouyang, Cheng-
Kang Chen and Hung-Chi
Chang | 1701 | Quality improvement, setup cost and lead-time reductions in lot size reorder point models with an imperfect production process |
| Ue-Pyng Wen, Tsung-Lin Wu
and Ching-Chir Shyur | 1719 | Bi-directional self-healing ring network planning |
| M.J. Lopez-Herrero | 1739 | On the number of customers served in the $M/G/1$ retrial queue: first moments and maximum entropy approach |
| Alexandre Linhares and
Horacio Hideki Yanasse | 1759 | Connections between cutting-pattern sequencing, VLSI design, and flexible machines |

NUMBER 13

- | | | |
|---|------|---|
| Walter J. Gutjahr and
Gabriele Uchida | 1773 | A branch-and-bound approach to the optimization of redundant software under failure correlation |
| Jaehyun Yeo, Heesoo Lee
and Sehun Kim | 1793 | An efficient broadcast scheduling algorithm for TDMA ad-hoc networks |
| Chung-Chi Hsieh | 1807 | Smoothness in frame reduction |
| Sheng-Pen Wang | 1819 | On inventory replenishment with non-linear increasing demand |
| Peter Chu and Patrick S.
Chen | 1827 | A note on inventory replenishment policies for deteriorating items in an exponentially declining market |
| Wei-Chang Yeh | 1843 | Search for all d -Mincuts of a limited-flow network |
| Matthew J. Katz, Klara
Kedem and Michael Segal | 1859 | Improved algorithms for placing undesirable facilities |
| Anant Singh Jain and Sheik
Meeran | 1873 | A multi-level hybrid framework applied to the general flow-shop scheduling problem |
| Gianpaolo Ghiani, Francesca
Guerriero and Roberto Mus-
manno | 1903 | The capacitated plant location problem with multiple facilities in the same site |
| S.R. Hejazi, A. Memariani,
G. Jahanshahloo and M.M.
Sepehri | 1913 | Linear bilevel programming solution by genetic algorithm |

Yi-Kuei Lin

- 1927 Two-commodity reliability evaluation for a stochastic-flow network with node failure

NUMBER 14

Gautam Choudhury

- 1941 A batch arrival queue with a vacation time under single vacation policy

T.C.E. Cheng, Z.-L. Chen and N.V. Shakhlevich

- 1957 Common due date assignment and scheduling with ready times

Chian-Son Yu

- 1969 A GP-AHP method for solving group decision-making fuzzy AHP problems

Behnam Malakooti and Jumah E. Al-alwani

- 2003 Extremist vs. centrist decision behavior: quasi-convex utility functions for interactive multi-objective linear programming problems

L. Douglas Smith, Robert M. Nauss, Robert J. Banis and Ronald Beck

- 2023 Staffing geographically distributed service facilities with itinerant personnel

Sheng-Pen Wang

- 2043 An inventory replenishment policy for deteriorating items with shortages and partial backlogging

B.W. Conolly, P.R. Parthasarathy and N. Selvaraju

- 2053 Double-ended queues with impatience

Sakib A. Mondal

- 2073 Minimization of squared deviation of completion times about a common due date

T.C.E. Cheng and Mikhail Y. Kovalyov

- 2087 An unconstrained optimization problem is NP-hard given an oracle representation of its objective function: a technical note

